

PROFESSIONAL DIESEL SERVICE TOOLS

201



catalog tools for distribution

Version 02 - 01-2008 - COPYRIGHT MARBED Srl 2007 all rights reserved

CATABOIGE DICE

tools for distribution





www.marbed.com

MARBED Srl - Piazza Novelli, 4 - 20129 Milano - Italy
Tel. +39 02.71.49.84 - Fax +39 02.70.10.26.67
e-mail info@marbed.com




AUDI - VOLKSWAGEN

| | | _ |
|-------------------|--|--------|
| | | |
| 8105 | Duralist was a shaft fiving for | |
| | Bracket gear shaft fixing for VOLKSWAGEN, AUDI TD engines | |
| 9476 | | |
| | Dynamometer to check the toothed belt tension on VW GOLF | |
| 9581 | | |
| | Stroke holding pin to pix the VOLKSWAGEN GOLF pulley | |
| 9582 | Other has heald in a sea of fine and in a transition | |
| | Stroke holding rod for engine tappets VOLKSWAGEN GOLF | |
| 9583 | | |
| | Tappet adjusting wrench for VW GOLF engine | - |
| 9597 | | |
| KDEP 1118 | Adjustable pulley extractor pump side VW POLO - PASSAT, VOLVO 740 TD | |
| 9598 | | |
| KDEP 1118 | Adjustable pulley extractor pump side VW GOLF, RENAULT 18-20-30, PEUGEOT mot.XUD | A D. B |
| 9598-B | | |
| | Puller for pump side pulley AUDI TD | |
| 9686 | | |
| KDEP 1116 | Stroke holding wrench for AUDI, VW GOLF pulley | |
| 9687 | | |
| | Stroke holding rod for engine tappets AUDI, VOLKSWAGEN | |
| 0740 | | |
| 9712 KDEP 1115 | 17-17 mm open wrench for pipe nuts AUDI, VW GOLF, VOLVO | 9 |
| 9736-A | | |
| 0.00 A | Toothed wrench to adjust the toothed belt tension on WV GOLF, AUDI | |
| | DEIL TEHSIOH OH WV GOLF, AUDI | 4 |
| 9744 | Tappet adjusting wrench for | |
| | AUDI engine | |

AUDI engine









FIAT, ALFAROMEO, LANCIA

| | Distribution belt stretcher FIAT PUNTO | 8022 |
|--|---|-------|
| ALL THE REAL PROPERTY OF THE PARTY OF THE PA | | 9156 |
| | Hexagonal wrench to demount the preheating glow plugs on FIAT engines | |
| 6 | Pulley extractor pump side | 9229 |
| | for FIAT UNO TD | |
| | Tappet adjusting wrench | 9371 |
| | FIAT cars diesel | |
| | Shaped wrench 13 mm to demount | 9373 |
| | the preheating glow plugs on FIAT SOFIM engines | |
| | Pad lever for FIAT cars (used by | 9374 |
| | body-works for upholstery buttons) | 9491 |
| | Shaped wrench 13mm for pump lock nut | 9491 |
| | on FIAT DAILY engines | 0.402 |
| | Shaped wrench 13mm for pump lock nut | 9492 |
| | on FIAT SOFIM engines | |
| | | 9494 |
| | Shaped wrench 13mm for pump lock nut on FIAT SOFIM engines | |
| | Strake helding pin | 9493 |
| | Stroke holding pin for FIAT SOFIM engines | |
| | | 9516 |
| | Lever for tappet pads on FIAT SOFIM engines | |
| | | 9517 |
| 5 | Pliers to extract the tapped pads on FIAT SOFIM engines | |





9595

Pullety extractor pump side for 1st and 2nd series of FIAT RITMO, FIAT REGATA, FIAT UNO etc



9595-A

9596

9596-A

Pullety extractor pump side FIAT CROMA direct injection TD



Expeller for BOSCH pump on ALFA ROMEO 90

(extracts and keep fasten the timing system)



Expeller for BOSCH pump on ALFA ROMEO 75 and 33 (extracts and keep fasten the timing system)



9596-B

Expeller for BOSCH VE pump on ALFA ROMEO 75 and 33 (extracts and keep fasten the timing system on ALFA ROMEO engines after 1989)



9598-C

Puller for pump side pulley on FIAT DUCATO 2,5



9598-E

Universal adjustable puller for pump side pulley on cars FIAT BRAVO and BRAVA



9598-F

Tool for distribution phase holding on FIAT BRAVO and BRAVA

| PROFESSIONAL DIESEL SERVICE TOOLS | FIAT, ALFA ROMEO, LANCIA | |
|-----------------------------------|--|---------|
| B C | | 9598-G |
| 2 | Wrench for phase holding of pulley on drive of distribution shaft, FIAT cars | |
| | A Bracket for what above on LANCIA K | |
| | Bracket for what above on FIAT BRAVO, BRAVA | |
| | C Bracket for what above on FIAT D, TD 1967/1929 | |
| | | 9598-H |
| | Stroke holding pin for FIAT ULISSE | |
| | | 9598-L |
| | Wrench for phase start of distribution on FIAT cars (BRAVO and BRAVA incl'd) for defining the upper dead point on 1st cylinder (it must be applied on the hook pulley of the engine shaft) | |
| O | Wrench for phase start of distribution on FIAT MAREA, LANCIA K 2,4 | 9598-LA |
| | | 9598-M |
| | Engine flywheel and valve gear timing tool DAILY, TURBO DAILY | |
| | | 9608-A |
| | Pulley extractor pump side FIAT 127 diesel | |
| | | 9608-C |
| | Shaped 13 mm wrench for lock pump nut FIAT 127 diesel | |
| | | 9608-E |
| | Tappet adjusting wrench for FIAT 127 diesel | |
| | | 9614 |
| | Tappet adjusting wrench for FIAT RITMO diesel | |
| | | 201.r00 |



| | | 9736 |
|---|---|--------|
| | Toothed wrench to adjust the toothed belt tension on FIAT RITMO, REGATA etc | 3730 |
| | | 9738 |
| | Tappet adjusting wrench FIAT RITMO gasoline | |
| | | 9739 |
| | 6 mm socket head screw for the locking pump nut on FIAT RITMO | |
| | | 9750 |
| | Double adjusting wrench for tappets FIAT 127 gasoline | |
| | | 9776 |
| | Pulley extractor engine side LANCIA PRISMA diesel | |
| | Dulles suctor at an arrange of the | 9776-A |
| | Pulley extractor pump side LANCIA PRISMA diesel | |
| | | 9780 |
| | Pulley extractor NIPPONDENSO pump side INNOCENTI MINI diesel | |
| | | 9781 |
| 7 | Toothed wrench stroke holding for pulley on INNOCENTI MINI diesel | |





| Pulley puller FORD FOCUS TD | 8116 |
|---|------|
| Tool to remove/install VP pumps on FORD DURATORQ 2.0, 2.2 and 2.4 engines | 8154 |
| | 9368 |
| 7/32" joint socket head screw for CAV pumps fastening nuts (BEDFORD) | 0000 |
| Torque convertor puller BH on FORD TRANSIT 26x1,5 M - 6 threads | 9369 |
| 7/32" socket head screw for CAV pumps fastening nuts (BEDFORD) | 937 |
| 1/4" socket head screw for | 937 |
| CAV pumps fastening nuts (BEDFORD) | 938 |
| 6 mm joint socket head screw for CAV pumps fastening nuts (BEDFORD) | |
| Stroke holding wrench for FORD TRANSIT DI | 975 |
| BOSCH pump expeller FORD 1,6 diesel FORD FIESTA, ESCORT etc | 977 |
| Stroke holding rod | 977 |
| FORD 1,6 diesel FORD FIESTA, ESCORT etc | |
| Chroka haldingah far | 977 |
| Stroke holding wrench for AUDI, VW GOLF pulley | |



MERCEDES



9965

Tool for phase holding MERCEDES 200-250 TD To be applied after demounting brackets pump vacum gauge



OPEL

| 8110 | | |
|--------|---|---|
| | Plate for phase holding of gear shaft of OPEL 1,6 D, ASTRA 1,7 D , CORSA, KADETT, VECTRA | |
| 8161 | | |
| 0101 | Pump puller with timing lock device for RENAULT ESPACE 2.2, MASTER 2.5, OPEL MOVANO | |
| 9444 | | |
| | Double wrench tappet adjusting for OPEL diesel | |
| 9713 | Pulley puller pump side | |
| | OPEL 1,6 diesel | |
| 9714-A | | |
| | Stroke holding tool on timing system OPEL 1,6 diesel Engine manifactured after 1988 | |
| 9715 | | |
| | Dynamometer to check the toothed belt tension on OPEL 1,6 diesel | |
| 9716 | | · |
| | Rod to advance or retard the timing system on OPEL 1,6 diesel | |
| 9752-B | | |
| | Stroke holding tool OPEL CORSA with ISUZU engine | |
| 9997 | 5 | |
| | Rod for phase holding OPEL VECTRA 1,7 | 6 |



PEUGEOT - CITRÖEN (PSA)

9250
6 mm socket head screw for pump fastening nuts on PEUGEOT

9385
Pulley puller pump side CITRÖEN CX-BX

9591
6 mm socket head screw for pump fastening nuts on PEUGEOT

TO THE

9598

Adjustable pulley extractor pump side VW GOLF, RENAULT 18-20-30, PEUGEOT mot.XUD

KDEP 1118



RENAULT

| 8013 | Wrench for disassembly front pulley of VOLVO S40-V40 - RENAULT with LUCAS pumps | |
|--------|--|--|
| 8014 | | |
| | Tool to insert in the distribution for determining the injection start VOLVO S40-V40 - RENAULT | |
| 8015 | | |
| | Tool for fixing distribution VOLVO S40-V40 - RENAULT | |
| 8015-A | Pump pusher on RENAULT | |
| | left thread | |
| 8016 | | |
| | Comparator support for determining the injection start on VOLVO S40-V40 - RENAULT with LUCAS pumps | |
| 8103 | Desire for Coin a consist flateback or | |
| | Device for fixing engine fly/wheel on RENAULT SAFRANE etc | |
| 8112 | puller with three claws for pulley of engine geaR | |
| | F9Q/732 on RENAULT LAGUNA with common rail | |
| 8161 | Pump puller with timing lock device for | |
| | RENAULT ESPACE 2.2, MASTER 2.5, OPEL MOVANO | |

| 9598 | | |
|-----------|--|--------|
| KDEP 1118 | Adjustable pulley extractor pump side VW GOLF, RENAULT 18-20-30, PEUGEOT mot.XUD | all do |
| 9598-N | | |
| | Phase holding for distribution RENAULT 19 D - R5 - R9 - R11 after 1988 | |
| 9740 | | |
| | Dynamometer to check the belt tension on RENAULT engines | |
| 9741 | | |
| | Piston pin for the stroke holding RENAULT engines | |
| 9742 | | 10 |
| | Clamping tool for the timing system pulley on RENAULT 18-20-30 diesel | |
| 9742 | | |
| | Clamping tool for the timing system pulley on RENAULT 9-11 diesel | |







CAV-DPS pump expeller for LAND ROVER extracts and keep fasten the timing system

9077



9077-A



9077-B

Phase holding for ROVER DISCOVERY









other distribution tools



Standard device for fixing timing gear with 4 mobile adjustable pins

9265

8102

Chain pipe wrench for Full Flow cartridge



www.marbed.com

MARBED Srl - Piazza Novelli, 4 - 20129 Milano - Italy
I. +39 02.71.49.84 - Fax +39 02.70.10.26.67
e-mail info@marbed.com