



KIT TRICKYTEC DX75690

NEW!



Trickytec

CATALOGUE VRS. 1.2

Made by DITEX TECHNOLOGIES S.R.L.

Copyrights reserved. This brochure can be neither partly nor totally copied, without the official written authorization of DITEX TECHNOLOGIES S.R.L. DITEX TECHNOLOGIES S.R.L. with holds the right to apply eventual modifications to the text of this document, without any previous advise.




MECHANICAL PART BASIC KIT

| | | | | | |
|---|---|---|---------|--|---|
|  | | | COD. | ITEM | DESCRIPTION |
| | | | DX75625 |  | Case containing Basic tools and adaptors to fix the different injector types on the Trickytec plate as well as probing pins |
|  | | | DX75394 |  | INDISPENSABLE (NOT INCLUDED IN THE KIT) TESA Micro Dial Gauge Comparator 0.001 |
| | | | DX75282 |  | OPTIONAL (NOT INCLUDED IN THE KIT) Case containing Trickytec Basic tools and adaptors to measure lift |
| COD. | ITEM | DESCRIPTION | | | |
| DX75620 |  | Trickytec Multibrand injectors calibration device | | | |



MECHANICAL PART CASE DX75625 (Vrs. 1.2)




| NUMBER | COD. | DESCRIPTION |
|--------|---------|---|
| 01 | DX75622 | Nozzle support |
| 02 | DX75623 | Siemens plate Ø 25 mm |
| | DX75638 | Siemens plate Ø 27 mm |
| 03 | DX75633 | Probe pin holder for steel shims measurig |
| 04 | DX75624 | Dial Gauge Support |
| 05 | DX75621 | Injector centering plate |
| 06 | DX75626 | Pin with probing small plate |
| 07 | DX75628 | Ø 3 mm probing pin for needle measuring |
| 08 | DX75627 | Probing pin for coil measuring |
| 09 | DX75634 | Ø 2,8 mm probing pin for needle measuring |
| 10 | DX75629 | Brass probing pin |
| 11 | DX75630 | 1x2x130 probing pin |
| 12 | DX75631 | 2x38 probing pin |
| 13 | DX75632 | 2x94 probing pin |
| 14 | DX75635 | 2x130 probing pin |
| 15 | DX75739 | Aluminum rings probing pin adaptor |
| 16 | DX75639 | 2 pcs. fixing knobs kit |
| 17 | DX75640 | Dial gauge support |



COMMON RAIL REPAIRING TOOLS

MECHANICAL PART CASE DX75282 (Vrs. 2.1)










| NUMBER | COD. | DESCRIPTION |
|--------|---------|--|
| 01 | DX75272 | Threaded adaptor for Denso Coil setting (use on Giuditta press) |
| 02 | DX75274 | Holder for setting coil stop sleeve on Bosch 2.1 inj. (use on Giuditta press) |
| 03 | DX75273 | Holder for setting Denso injectors coil (use with Giuditta press) |
| 04 | DX75275 | Extractor pin for coil stop sleeve on Bosch 2.1 inj. (use with Giuditta press) |
| 05 | DX75276 | Insertor pin for coil stop sleeve on Bosch 2.1 inj. (use with Giuditta press) |
| 06 | DX75271 | Setting pin for Denso inj. Coil (use with Giuditta press) |
| 07 | DX75278 | Insertor adaptor for coil stop sleeve on Bosch 2.1 inj. (use with Giuditta press) |
| 08 | DX75712 | Dial gauge probe pin size 58x4 (use on Trickytec) |
| 09 | DX75735 | Dial gauge probe pin extension |
| 10 | DX75714 | Dial gauge probe pin size 42x4 (use on Trickytec) |
| 11 | DX75279 | Probe pin for dial gauge to use with DX75273 holder plate. |
| 12 | DX75711 | Dial gauge probe pin size 50x2x1.2 (use on Trickytec) |
| 13 | DX75736 | Bosch CRIN injector anchor fixing tool. |
| 14 | DX75277 | Mechanical measuring tool for Bosch inject. coil. (use on Trickytec) |
| 15 | DX75636 | Dial gauge holder for Denso inject. coil measuring |
| 16 | DX75734 | Stop bolt to use on (Denso) injector disassembly (use with Giuditta press) |
| 17 | DX75738 | Dial Gauge holder (use with Giuditta press) |
| 18 | DX75737 | Dial Gauge pull up pin |
| 19 | DX75394 | NOT INCLUDED TESA high precision micrometer dial gauge (to be ordered separately) |



ELECTRICAL PART






BASIC KIT





| COD. | ITEM | DESCRIPTION |
|---------|---|--|
| DX73645 |  | PC/Dial Gauge comparator Connecting cable |
| DX79530 |  | Software TURAN Installation CD |
| DX73715 |  | Power Supply Unit 30 V |
| DX73640 |  | Can line |

| COD. | ITEM | DESCRIPTION |
|---------|--|---|
| DX97200 |  | ECU/TATO |
| DX74421 |  | Injector connections Cable set |
| |  | INDISPENSABLE (NOT INCLUDED IN THE KIT) PC Minimun PC requirements Processor: Intel Core 2 Duo Hard Disk: 250 GB Operating system: Windows7 Ram: 2 Gb o superiore 2 Porte USB 2.0 Microsoft Excel 2003 or high. Internet connection |



ELECTRICAL PART INJECTOR CONNECTIONS CABLE SET DX74421 (Vrs. 1.2)

| COD. | ITEM | DESCRIPTION |
|---------|---|--|
| DX74400 |  | AMP Adapter cable |
| DX74401 |  | KOSTAL Adapter cable |
| DX74402 |  | KOSTAL Adapter cable (reversed polarity) |
| DX74403 |  | FCI Adapter cable |
| DX74404 |  | Denso X2 Adapter cable |

| COD. | ITEM | DESCRIPTION |
|---------|---|-----------------------------|
| DX74405 |  | Denso G2 Adapter cable |
| DX74406 |  | Denso Adapter cable |
| DX74407 |  | Universal Adapter cable |
| DX74408 |  | Universal Tweezers cable |



ditex technologies
Diesel Fuel Injection Service Solutions

Made by DITEX TECHNOLOGIES S.R.L.

37019 PESCHIERA DEL GARDA (VR) ITALY – LOC. MANDELLA – TEL. +39 0456401191 – FAX +39 0457552215